



Approximated Peano Curve. The space-filling process has not been completed.

Figure 1A (Prior Art)




Boustrophedon Path

Figure 1B (Prior Art)



Archimedes Spiral defined by equally distributed points

Figure 1C (Prior Art)



Spiral-like line-based scanning

Figure 1D (Prior Art)




Figure 2A




Figure 2B




Figure 3A




Figure 3B

09877314-060801
T02090"4TEZ2850




Figure 3C






Figure 3D

09877344.060801
T08090"4TE2860




The situation of Lemma 1

Figure 4A




Case (A)

Figure 4B




Case (B)

Figure 4C




Smooth transition between two circles of different radii.

Figure 4D



Smooth transition between two circles of same radius.

Figure 4E




Transition between two unit circles of radius 1. The distance between the circles is $\sqrt{3}$

Figure 4F


09877314-060801

09877314-060801



Beginning (left) and completion (right) of a scanning scheme where the curvature is below a certain value


Figure 5A



Construction of $s2$ and the subsequent part of the curve

Figure 5B

09877314.060801



Conformal Spiral.

Figure 6

09877314.060801
T08090"4TE7860






Figure 07

09877314-060801



The first 1000 Halton points (left) and randomly chosen points (right)

Figure 8A



Original solution (left) and splined version (right).

Figure 8B

09877314-060801





Figure 9



Definition of I_1 , I_2 , and I_3

Figure 10




Figure 11A

Figure 11B

Figure 11C

09877314-060801




Figure 12A






Figure 12B

09877314-060801
TORO90-47E2860



Beginning of a Low Discrepancy Curve based on a specific
Halton Sequence in 2d


Figure 13A



Splined Low Discrepancy Curve coarse search


Figure 13B

09877314.060801



Comparison of Conformal Spiral and Low Discrepancy Searching

Figure 13C



Comparison of Travel Distance for Low Discrepancy Search and Conformal Spiral Search

Figure 13D

0987314-060801
T08090-4TE4860






Figure 14




Low Discrepancy Preserving Mapping Function

Figure 15C



Low-discrepancy curve filling the surface of a torus

Figure 15D



Low-discrepancy curve on a sphere
(left) and projections (right)

Figure 16





Figure 17


09877314-060801
T08090-4TEZ860



Surfaces can be scanned efficiently when the term low discrepancy sequence/ curve can be generalized, e.g. based on metrics on the surface.

Figure 18


09877314.050301



Splined Low Discrepancy Curve coarse search with refined final approach


Figure 19

Intensity Field Distribution in Search Area




Beam intensity distribution in search area

Figure 20





Location of the Peak



Initial Final Approach Move

Figure 21A

Figure 21B



Error distribution of the estimated peak X coordinate error (left) and Y coordinate error (right)

Figure 21C

09877314-060801

0987314:060801
T08090:4E22860




Figure 22

09877314-060801
T08090-4FEZ860




Figure 23